

The Multi-Function Gas Detector

The GMI - GT range of instruments combine quality, ruggedness and advanced GMI Technology in a user friendly, hand held gas detector. The multi-application GT series will satisfy all your gas detection requirements in a single, easy to use instrument.

LEAK TEST

CONFINED SPACE

BARHOLE

CARBON MONOXIDE

PURGE

SNIFFER

PRESSURE



FEATURES

- ◆ Multi-application Gas Detector.
- ◆ PPM , LEL and Volume flammable gas ranges for leak detection.
- ◆ 0 - 60in. (150mBar) Water Gauge for tightness testing.
- ◆ Manual / Automatic datalogging.
- ◆ Audible / Visual 'Ticker' (Geiger) indication on ppm range.
- ◆ Loud audible and high visibility alarms.
- ◆ Large button operation with simple display prompts.
- ◆ Integral flashlight.
- ◆ Alkaline or Rechargeable battery options. Charging via simple plug or docking station.
- ◆ Rugged polycarbonate case, sealed to IP54 rating and suitable for outdoor use.

Designed for us by you . . . The *Gas Technicians*



Instrument Ranges

- 0 - 10,000 ppm Flammable
- 0 - 100% LEL Flammable
- 0 - 100% VOL Flammable
- 0 - 25% Oxygen
- 0 - 2000 ppm Carbon Monoxide
- 0 - 100 ppm Hydrogen Sulphide
- 0 - 60" (150 mBar) Water Gauge

Application Modes

- Leak Test
- Confined Space
- Barhole
- CO
- Purge
- Sniffer
- Pressure



